

applications



 WILLIAMS SOUND®

D I G I · W A V E D O C K

The new Digi-Wave™ Dock offers an innovative extension to the Digi-Wave two-way, wireless communication system from Williams Sound. It provides a simple, flexible way to connect portable Digi-Wave systems to other fixed systems. The connection begins when a Digi-Wave transceiver or receiver is simply plugged into the Dock. The Digi-Wave Dock provides continuous power and/or charging for two Digi-Wave devices and has separate audio inputs and outputs in each of its bays.



Applications Unlimited


The Digi-Wave Dock adds even greater flexibility to an already flexible Digi-Wave platform. Applications are limited only by one's imagination.

For detailed installation information on these and other applications, view the Digi-Wave Dock set-up guide online at www.williamssound.com/dock_setup .




How it Works: Base Station Receiver

Example 1: Use the Digi-Wave Dock to deliver audio created within a Digi-Wave system to listeners of a separate sound system. Place a DLT 100 2.0 transceiver or DLR 60 2.0 receiver into the Dock. When the output is connected to a sound system or powered speaker, the Dock allows the transceiver/receiver to function like a base station receiver that connects a portable system to a fixed system.




How it Works: Base-Station Transmitter

Example 2: Place a DLT 100 2.0 transceiver into the Dock, and easily bring audio from an outside source to listeners within a Digi-Wave system. When the input is connected to an audio source (sound system, media player and so on), the Dock allows the Digi-Wave transceiver to function much like a base station, transmitting audio to portable units.





Language Interpretation Scenario

Connecting an IC-2 interpreter control console to a Digi-Wave Dock allows the DLT 100 2.0 to function like a base station, transmitting the interpreter's audio to listeners with portable DLR 60 receivers.




Multiple Live-Microphone Scenario

For multi-presenter conferences, expert panels, and team-training, use two Digi-Wave Docks in tandem to allow for up to five live microphones within a Digi-Wave system. Create a multi-presenter Digi-Wave presentation system without the need for a mixer or multiple wireless microphones.



Videoconference/Teleconference Scenario

Integrate a Digi-Wave Dock, DLT 100 2.0s and headset microphones at each videoconference/teleconference location for crystal-clear, two-way communicate





800.328.6190 | williamssound.com